

1fw/ Cofe



Docket No: B-06304

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee: Driesen et al.
Patent No.: 6,871,373 B2
Serial No.: 09/803,132
Issued: March 29, 2005
Filed: March 9, 2001
Title: Bristle for a Toothbrush, Particularly for an Electric Toothbrush, and Method for its Manufacture

Certificate
MAY 18 2005
of Correction


Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL OF CERTIFICATE OF CORRECTION REQUEST

Patentees hereby request that a Certificate of Correction be issued for the above patent in accordance with the attached request.

All errors sought to be corrected were made in printing by the Patent and Trademark Office and no fee is due.


Respectfully submitted,


Edward S. Podszus
Reg. No. 35, 983
Date: 29 April 2005

The Gillette Company
Prudential Tower Building
Boston, MA 02199-8004
(617) 421-7939

Certificate of First Class Mailing under \$1.08

I hereby certify that this paper and those referenced herein are being deposited with the United States Postal Service with sufficient postage for first class mail in an envelope addressed to the Commissioner for Patents, Alexandria, VA 22313-1450 on the date shown below.

 Signed
Michele T. Brown Printed Name
May 10, 2005 Date

MAY 24 2005

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO.: 6,871,373 B2
DATED: March 29, 2005
INVENTOR(S): Driesen et al.

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In claim 14, at column 7, line 51, add after "end of the" --bristle-- and add after "is split" --over the--.

MAILING ADDRESS OF SENDER:
Edward S. Podszus, Esq.
The Gillette Company
Prudential Tower Building
Boston, MA 02199

Patent No. 6,871,373 B2

MAY 24 2005